

IMMUNIZATIONS, VACCINATIONS, AND OTHER MISCELLANEOUS TREATMENTS	DEFER FOR:
ABRYVO (RSV vaccine)	Accept immediately if feeling well and healthy
Ajovy (Fremanezumab: Migraine treatment)	Accept immediately if asymptomatic
Allergy Desensitization	Accept immediately if feeling well and healthy
Anthrax	Accept immediately if feeling well and healthy
AREXVY (RSV vaccine)	Accept immediately if feeling well and healthy
Botulinum Toxin ('Botox')	Defer for 24 hours after treatment
BCG	2 weeks
Chicken Pox (Varivax)	4 weeks
Chicken Pox (VZIG) Immune Globulin	12 months
Cholera	Accept immediately if feeling well and healthy
Cortisone shots (for musculoskeletal pain)	<ul style="list-style-type: none"> • Accept immediately if asymptomatic. • If not for musculoskeletal pain, contact MD if condition is not listed in "<i>Medical Conditions Guidelines</i>" NY-JA-0319)
COVID-19	<ul style="list-style-type: none"> • Accept immediately if feeling well and healthy after receiving a Non-Replicating, Inactivated, Viral Vector (such as Johnson & Johnson), mRNA (such as Pfizer/BioNTech, Comirnaty or Moderna) or subunit protein (such as Novavax) vaccine that has been approved in the USA • 1 week if feeling well and healthy after receiving a vaccine that has not been approved and is in clinical trials in USA, Europe, Canada, or Australia (such as AstraZeneca (Covishield)/Oxford, CureVac, and Sanofi/GSK) • 1 week If the donor does not remember the name of the vaccine and received it in USA, Europe, Canada, or Australia • 1 year if feeling well and healthy after receiving a vaccine in use or in clinical trials in countries other than USA, Europe, Canada, or Australia (such as Cansino, Bharat, Gamaleya, Sinopharm (Beijing), Sinopharm (Wuhan), Sinovac Biotech, Sputnik V and Vector Institute) • 1 year if the donor does not remember the name of the vaccine and received it in a country other than USA, Europe, Canada, or Australia • Refer to NY-JA-0521 "<i>COVID-19 Vaccine List with Deferral Intervals</i>" for COVID-19 vaccinations not listed
Depo-Provera (birth control)	Accept immediately if feeling well and healthy
Diphtheria	Accept immediately if feeling well and healthy

IMMUNIZATIONS, VACCINATIONS, AND OTHER MISCELLANEOUS TREATMENTS	DEFER FOR:
DT: Diphtheria \ Tetanus	Accept immediately if feeling well and healthy
DPT: Diphtheria \ Pertussis \ Tetanus	Accept immediately if feeling well and healthy
Flu (injection or nasal)	Accept immediately if feeling well and healthy
Gamma Globulin - prophylactic	Accept immediately if feeling well and healthy and given for general prophylaxis (e.g., for travel) and not for exposure
Gamma Globulin - exposure	<ul style="list-style-type: none"> • 120 days (4 months) if given as a precaution to Hepatitis A exposure (i.e., restaurant outbreak) • Evaluate if given for exposure to any other disease
Hepatitis A - prophylactic	Accept immediately if feeling well and healthy
Hepatitis A - exposure	120 days (4 months)
Hepatitis B - prophylactic	2 weeks
Hepatitis B - exposure	3 months
Hep A + Hep B - prophylactic	2 weeks
Hep A + Hep B - exposure	4 months
HIB: Haemophilus Influenzae B	Accept immediately if feeling well and healthy
HIV Prevention (PrEP and PEP): Apretude \ cabotegravir	2 Years following date of last injection or shot
Hormone Replacement Therapy (HRT)	<ul style="list-style-type: none"> • Estrogen and/or Progesterone: Accept immediately if feeling well and healthy • Testosterone: Contact MD for evaluation
Human Papilloma Virus (Gardasil)	Accept immediately if feeling well and healthy
IVIG (Intravenous Immune Globulin)	Defer for 12 months
IXCHIQ (Chikungunya vaccine)	4 weeks
Japanese Encephalitis	Accept immediately if feeling well and healthy
Lyme	Accept immediately if feeling well and healthy
Measles (Rubeola)	2 weeks
Measles, German (Rubella)	4 weeks
Meningococcus (including Meningitis B)	Accept immediately if feeling well and healthy
MMR (Measles, Mumps, Rubella)	4 weeks
Mpox (Monkeypox)	<ul style="list-style-type: none"> • Jynneos prophylactically: Accept immediately if feeling well and healthy • Jynneos post exposure, no complication: 21 days

IMMUNIZATIONS, VACCINATIONS, AND OTHER MISCELLANEOUS TREATMENTS	DEFER FOR:
	<ul style="list-style-type: none"> • Jynneos post exposure, with complication: 1 month or upon resolve of symptoms, whichever is later • ACAM2000 (not FDA licensed): 8 weeks
Mounjaro (tirzepatide) injection	Accept immediately if feeling well and healthy
Mumps	2 weeks
Ozempic (semaglutide) injection	Accept immediately if feeling well and healthy
Paratyphoid	Accept immediately if feeling well and healthy
Pertussis	Accept immediately if feeling well and healthy
Plague	Accept immediately if feeling well and healthy
Pneumonia	Accept immediately if feeling well and healthy
Polio: Oral	2 weeks
Polio: Injection	Accept immediately if feeling well and healthy
Rabies	<ul style="list-style-type: none"> • Accept immediately if received for prophylaxis (e.g., animal care worker) and not for exposure • Defer 12 months if due to animal bite
Rocky Mountain Spotted Fever	Accept immediately if feeling well and healthy
Rybelsus (semaglutide) tablets	Accept immediately if feeling well and healthy
Shingles: Zostavax	4 weeks
Shingles: Shingrix (Zoster Vaccine Recombinant)	Accept immediately if feeling well and healthy
Skyrizi (risankizumab-rzaa)	Accept immediately if feeling well and healthy
Smallpox without complications	8 weeks
Smallpox with complications	<ul style="list-style-type: none"> • 8 weeks after onset of symptoms or 14 days after symptoms resolve, whichever is longer • Complications include the following: Rash (resembling 'blisters') covering a small or large area of the body; necrosis (tissue death) in the area of vaccination; inflammation of the brain (encephalitis); infection of the cornea (eye); localized or systemic skin reaction in someone with eczema or other chronic skin condition
Stelara (Ustekinumab for Psoriasis and/or Ulcerative Colitis (UC)/Crohn's Disease/Irritable Bowel Disease (IBD))	Accept immediately if asymptomatic
Tetanus Toxoid (Booster)	Accept immediately if feeling well and healthy

IMMUNIZATIONS, VACCINATIONS, AND OTHER MISCELLANEOUS TREATMENTS	DEFER FOR:
Tetanus and Diphtheria Toxoids	Accept immediately if feeling well and healthy
TicoVac (Tick-Borne Encephalitis vaccine)	Accept immediately if feeling well and healthy
Typhoid: Injection	Accept immediately if feeling well and healthy
Typhoid: Oral	2 weeks
Typhus, Paratyphoid	Accept immediately if feeling well and healthy
Vitamin B12	Ask underlying reason for treatment and contact MD if condition is not listed in “ <i>Medical Conditions Guidelines</i> ” NY-JA-0319
Vivitrol (Naltrexone: Treatment for alcohol use disorder)	Accept immediately if feeling well and healthy
Wegovy (semaglutide) injection	Accept immediately if feeling well and healthy
Yellow Fever	2 weeks
Zepbound (Tirzepatide for weight loss)	Accept immediately if feeling well and healthy